

Specification

Selene 60

Specification and equipment list are subject to change without prior notice

PRINCIPAL DIMENSIONS

- L.O.A.: 65' -1" (19.83 M)
- L.O.H.: 60' -11" (18.56 M)
- L.O.D.: 57' -6" (17.53 M)
- L.W.L.: 56' -3" (17.15 M)
- Beam (over all w/ rub rail): 17' -10" (5.44 M)
- Max Draft (to keel bottom): approx 6' -4" (1.93 M)
- Displacement (Full load): 126,760 Lbs
- Ballast (Single Engine): 3,000 Lbs
- Fuel Capacity(Single engine): 2,000 GAL
- Water Capacity: 500 USG
- Holding Tank Capacity: 150 USG
- Gray Tank Capacity: 120 USG
- Top Speed: approx 12 Kts
- Cruising Speed: approx 9 Kts
- Standard Power: John Deere 6125AFM 526hp@2100RPM,M4

HYDROSTATIC DATA

- A/B Ratio (full load): 2.69
- S/L Ratio (top speed): 1.61
- S/L Ratio (cruising speed): 1.21
- D/L Ratio (full load): 321
- CB (block coefficient): 0.47
- CP (prismatic coefficient): 0.67

STRUCTURE

- Cook gelcoat for hull, deck, superstructure & non-skid
- Vinylester resin for the first 5 layers lamination
- Bi-axis uni-direction stitched roving / mat
- Taiwan glass mat
- Divinycell core sandwich structure for hull side shell, deck & superstructure
- Longitudinal stringers & transverse frames system
- 4 watertight bulkheads (chain locker, Fwd. E/R, Aft. E/R, lazarette)
- Hull and deck joint sealed by glue, bolted & laminated with mat and woven roving
- Integral swim platform with extended hull underneath
- Recessed bow thruster tunnel
- Integral FRP stern thruster casing
- Integral full protected keel & rudder shoe
- Hand laid FRP single skin hull bottom
-

EXTERIOR

EXTERIOR HARDWARE

- Manship S/S #316 opening portlights
- Manship S/S #316 hatches for pilothouse & fwd. stateroom
- Diamond/Sea-Glaze Dutch doors for pilothouse P&S & saloon
- Taco S/S #316 1-1/2" solid upper & lower dual fender rails
- S/S #316 oval shaped hand rail for fore deck & dinghy deck
- S/S #316 telescope swim ladder
- S/S #316 dia 2-1/2" aft. deck overhang support posts
- S/S window frames w/ power coated
- Teak cap rail for Portuguese bridge, side deck & aft. deck
- S/S #316 bow & stern flag pole socket
- Teak burgee & flag staffs
- Freeing port for fore, side & aft. decks
- Molded inlay pattern non-skid to fore, side, aft, F/B decks & swim platform
- Portuguese bridge access gate to fore deck
- Transom gates
- Storage lockers w/ teak removable grating panel inside Portuguese bridge
- S/S #316 self-lock type exterior gate handle
- Cantalupi exterior dome lights
- Cantalupi exterior courtesy lights
- FRP settee on the front portuguese deck

FLYBRIDGE

- Helm station in center w/ console box
- S/S #316 destroyer type steering wheel
- S/S #316 grab rail

- Watertight door from fly bridge to pilothouse
- FRP BBQ box
- Polar wash basin w/ Scandvik folded faucet
- FRP radar arch
- AFI 24V DC outlet
- Chart counter top
- Tinted plexiglass windscreen with S/S #316 bracket
- Dinghy space on the fly bridge deck
- Optional hydraulic davit available for lift
- Table & settee with storage underneath

COCKPIT

- Dedicated spiral stair to F/B, with S/S #316 hand rail
- Scandvik transom shower
- FRP settee w/ emergency hatch underneath
- Entrance door to lazarette on the transom

INTERIOR

FOUNDATIONAL MATERIALS

- Light teak or cherry veneer (straight grain or mountain grain)
- Schwepper door locks & handles for interior doors
- Lamp push button for all locker doors & drawers
- Cantalupi lights system
- Cabin reading lights
- Solid teak & holly sole w/ teak border
- Fiberglass "I" shaped floor beam
- Vinyl & EVA foam panels for ceiling lining
- Draperies for saloon and each stateroom
- Selected sliding windows w/ tinted tempered glass

SALOON

- L-shaped sofa w/ 5" foam cushion
- Storage underneath the sofa
- Hi-lo fold-up dining table
- Entertainment center w/ TV cabinet
- Emergency hatch to engine room
- Cantalupi dome lights
- Cabin reading light
- Diamond/Sea-Glaze single panel door for saloon entrance
- Exposed roof beams w/ wood caps
- Teak overhead grab rail
- Bamboo blinds w/ drapes
- Tempered tinted glass for side windows

- Self-lock window stopper

GALLEY

- Counter top w/ Integral bar
- Corian or Granite counter top & back splash
- Sea Freeze / Sub-Zero DC/AC refrigerator
- Jabsco 24V DC dia. 3" electric exhaust fan above stove
- Force 10 3-burner propane stove w/ oven & alarm monitor panel set
- GE microwave w/ built-in exhaust as an option
- Broan trash compactor
- Miele dishwasher
- S/S #316 double sink
- Overhead cabinets
- Drawers & storage lockers under counter

RAISED PILOTHOUSE

- Helm station w/ instrument panels
- Electronic engine control system
- Hi-seat w/ footrest & table – providing a near panoramic view
- Diamond/Sea-Glaze Dutch doors for pilothouse (P&S)
- Sliding chart table w/ drawer
- Dedicated teak stair from pilothouse to F/B
- Cantalupi dome lights
- Cantalupi step lights
- Daniel Smith chart light (1)
- Cabin reading lights
- Teak overhead grab rails
- Tempered clear glass for front windshield

MASTER STATEROOM

- Queen-size berth w/ 5" foam mattress
- Drawer bureaus
- Side cabinets
- Wardrobe w/ automatic light & aromatic cedar liner
- TV cabinet w/ sliding door
- Teak or Cherry veneer counter top
- Cantalupi reading lights
- Cantalupi dome lights
- Mirror w/ teak frame
- Manship S/S #316 opening portlights
- Book shelves

MASTER HEAD

- Tecma 24V DC freshwater toilet
- Jabsco 24V DC dia. 3" exhaust fan

- Cantalupi dome lights
- Formica finish head lining & FRP bulkhead
- Corian or Granite counter top & back splash
- Vanity unit w/ integrated wash basin
- Aluminum sliding shower door
- Mirror w/ wood frame
- Single lever hot & cold water shower faucet
- Medicine cabinet
- Shower room w/ teak removable grating panel
- Granite floor w/ teak & holly floor with teak boarder
- S/S #316 tissue paper holder

FORWARD STATEROOM

- Queen-size berth w/ 5" foam mattress
- Front & side cabinets
- Hanging lockers w/ automatic light
- Teak or Cherry veneer counter tops
- Cabin reading lights
- Windline telescope escape ladder
- Manship S/S #316 escape hatch
- Manship S/S #316 opening portlights

GUEST STATEROOM

- Hi-lo berth
- 4" foam mattress for each berth
- Hanging lockers w/ automatic light
- Overhead cabinet
- Book shelves
- Cabin Ocean reading lights
- Cantalupi dome lights

GUEST HEAD

- Tecma 24V DC freshwater toilet
- Shower room w/ teak removable grating panel
- Cantalupi dome lights
- Itai Aluminum sliding shower door
- Vanity unit w/ integral wash basin
- Single lever hot & cold shower faucet
- Granite floor w/ stainless steel divider (or teak & holly floor w/ teak border)
- Mirror w/ teak frame
- S/S #316 tissue paper holder

SYSTEMS

PROPULSION

- Single John Deere 6125AFM 526hp@2100RPM,M4
- Electronic engine control system at each helm station
- Deluxe engine panel w/ complete instrumentation & alarms
- Engine overheat & low oil pressure alarm
- Aqua #22 propeller shaft (dia. 3" =76.2mm)
- PYI dripless shaft seal
- Faster NiAlBr 4 blade propeller
- Jabsco 24V DC dia. 4" engine room blowers
- FRP drip pan under engine
- Hydraulift FRP wet box muffler
- Full protected FRP rudder w/ S/S #316 rudder shaft
- S/S #316 pillars in engine room
- Fluorescent light for E/R, commissary & lazarette
- Watertight door to engine room

STEERING SYSTEM

- Hynautic hydraulic steering system for pilothouse & F/B
- Handcrafted teak wheel in pilothouse and S/S #316 dia. 30" wheel on F/B
- Emergency tiller
- Full protected FRP rudder

AC ELECTRICAL SYSTEM

- 120V AC or 240V AC system
- Northern Lights 16Kw. generator w/ sound shield, muffler and remote start switch panel located in P/H, including dedicated 120 Amp/hr starting battery in FRP box with lid
- Delco 105 Amp engine alternator
- Newmar 3-bank 120V / 240V AC battery charger system
- Newmar Integrated galvanic isolator
- Sea Freeze upright DC / AC refrigerator
- Splendid vented washer / dryer w/ louvered door
- Grunert 120V/230V AC holding plate freezer
- Torrid 20 gallons 120V/240V AC dual heating source hot water heater
- Marinco 120V/240V 60hz 50Amp shore power inlets
- Marinco TV & Tel inlet
- Hubbell AC outlets throughout the boat, and GFCI in head & flybridge
- AC/DC control panel w/ polarity indicator lights, appropriate switches, meters & breakers
- Copper bonding strap w/ ground cable attachment for each fitting

DC ELECTRICAL SYSTEM

- 24V DC system
- Maxwell electric windlass w/ up/down switches at foredeck & each helm stations
- Aqua Signal navigation lights
- Kahlenberg air horn

- Exalto 12V DC electric wipers for 3 front windshields including fresh water wash
- Groco 12V DC automatic water pressure pump with accumulator tank
- Rule sump pumps w/ automatic float switches
- Vision AGM deep cycle batteries for house service, engine & generator starting
- Cantalupi accommodation dome lights
- Cantalupi step lights for interior & exterior
- Cabin reading lights
- Stereo speakers in stateroom

FUEL SYSTEM

- Total capacity 2,200 US gallons, two FRP fuel tanks w/ internal baffles, sumps, balancing lines, inspection ports & plates
- Racor 75/1000 Max dual fuel filter / water separator for main engine
- Racor 900MA fuel filter / water separator for generator
- ESI fuel polishing system (optional item)
- Racor USCG & CE certified fuel line hose
- Parker ball valve for fuel system
- Electric fuel gauge
- Magnetic fuel sight gauge for each fuel tank
- Fuel management system

PLUMBING SYSTEM

- Two FRP water tanks w/ shut off valve, total capacity 500 US gallons
- One FRP holding tank w/ Y-valve & Jabsco macerator pump, deck discharge outlet & remote full display panel in master head, total capacity 150 US gallons
- Electric water gauge
- Plastic water piping system
- Sea cocks on all through hull fittings with double hose clamps
- Bronze basket type internal sea water strainer for main engine
- Rule electric bilge pumps w/ automatic float switch
- Whale manual bilge pump
- Shower sump pumps in both master & guest head
- Status panel w/ warning signal in helm station to warn of bilge pump operation

ANCHOR & MOORING SYSTEM

- FRP bow pulpit with chain wash dam
- Maxwell 24V DC horizontal electric windlass
- Maxwell chain stopper
- Maxwell chain meter (optional item)
- S/S #316 self-launching anchor roller
- S/S #316 dia. 5" diameter Samson post
- S/S #316 hawse hole with cleat (8 units)
- Fresh water chain wash down
- Salt water chain wash down (optional item)

OPTIONS

- Portuguese high door
- FRP bureau (can be acted as the 3rd station locker)
- Soundown E/R sound insulation system including damping tile, 3" sound insulation foam & Aluminum perforated plate
- International anti-fouling bottom paint (Tin free)
- Epifanes one part varnish for interior
- International boot top line
- International anti-fouling bottom paint (Tin free)
- Sidepower bow & stern thruster
- Lifeline deep cycle AGM battery
- ACR searching light
- Vimar switches with dimmers
- S/S #316 frame for canvas Bimini top
- Leisure chair at saloon starboard (wood chair or barrel chair)
- Several choices throughout saloon for home theater system, dishes & other items
- Teak yacht name boards
- Engine room FRP flooring
- Wing station
- Get home engine
- Stabilizer system
- Bulbous bow
- Hardtop FRP
- Teak deck
- Dingy / davit
- Capstan
- Lightning ground system
- Danforth 5" compasses
- Chain counter
- Glendenuing cable master
- Foldable cleat
- S/S staples on swim platform
- Fender clamp

Bar Marine Brokerage DOO

Authorized Dealer of Jet Tern Marine co. Ltd in Montenegro.

www.selenetrawlers.com

+382 67 000 388 (Srp, Eng)

+382 67 000 399 (разговариваем на Русском языке)

selene.adriatic@gmail.com

Bar Marine Brokerage DOO

Bulevar Revolucije G-11

85000 Bar, Montenegro

www.selene-yachts.me

